BEST IN CLASS DTG/DTF PRINTER



- Print Remotely with WiFi Connectivity
- Unrivaled Stability to Minimize Downtime
- Easiest to Setup & Use DTG Printer
- DTG to DTF with a Push of a Button



Introducing the X2 DTG/DTF Printer:

The Most Advanced and Easy-to-Use DTG/DTF Printer to Date

From the start, the DTG Connection team has been focused on offering **best-in-class garment printing technologies.** The two key factors we are always looking for in a great printer is reliability and it must be easy to operate and maintain.

That's why we are so excited to launch the X2! Our engineers have painstakingly analyzed previous DTG models across the industry to streamline the printing process and upgrade many components to reduce the chance of downtime — **making the X2 the most** reliable, easy-to-use printer on the market.



Onboard Wi-Fi Connectivity




Huge 7-inch Touch Panel



Easy Switch to DTF Printing



Maintenance is Easier Than Ever



More Than Just a T-Shirt Printer

Print On Hoodies, Canvas, Koozies, Pillowcases and More!



Exceptional Earning Potential & Fast Profits

See how you can earn more than \$10,000 per month! The X2 DTG printer gives you the ability to earn high profit margins on custom garments.

And with the high speed and capacity, you can earn as much as \$10,000 per month with a single printer!

13.5+

1250+

1350+ 16,875+

\$ Profit Per Shirt

Shirts Printed Per Month

\$ Profit Per Month Selling 100 Shirts

\$ Profit Per Month Selling 1,250 Shirts

See Why Our Customers Love Us!







Printer Requirements & Specifications

Printable substrates

100% cotton and high-cotton blends; 100% light poly, up to 50/50 dark poly, wood, canvas, and DTF sheets

Operating environment

59F(15C) to 90F(32C) / 45-80% humidity, non-condensing humidifier recommended

Electrical requirements

100/120VAC 50-60Hz, 0.65A max, 70 watts

Curing temperatures & times

Heat Press (conveyor times vary) Light shirt (CMYK only): 356F/180C, 40 seconds; Dark shirt - 330F/165C, 90 seconds

Ink

Genuine DTG-C-approved direct to garment water-based pigmented CMYK and white inks

Pretreatment

DTG-C-approved pretreatment formulas. Use included HVLP Wagner power sprayer or automatic sprayer in a separate room from your printer.

Required operating system

Windows 7/8/10/11, 32-bit or 64-bit

Printable area

Up to 19.6" x 16" / 49.8cm x 40.6cm

Print head technology

Ricoh piezo-electric drop-on-demand inkjet

Ink chambers/nozzles

4 Ricoh print heads (GH2220) 8 channels/192 nozzles per channel

Print speeds (10"x8" graphic)

Lights - Speed: 28s / Fine: 42s

Resolution

600-1200 dpi

Ink delivery system

Advanced closed-loop delivery with auto ink circulation system for white channels

Table height adjustment

Precision manual table height adjustment up to 1.2"/3.0 cm

Maintenance features

Precise ink monitoring, auto ink maintenance system, automated print head cleaning, power purge system to help fill and remove ink from system

Connectivity

Supports Wi-Fi , USB drive, and Ethernet

Dimensions

18.9" H x 52.2" L x 33.9" W

Weight

242lbs (110kg)

Table platen sizes

(Standard) Medium 12.6" x 18" / 32 x 45.7 cm

- Large 16" x 19.6" / 40.6 x 49.8 cm
- Small 10.5" x 13" / 26.6 x 33 cm



16560 Harbor Blvd. Unit C-D, Fountain Valley, CA 92708 888.833.4484 DTGConnection.com





